

SELF-ADHESIVE DUAL-CURING RESIN CEMENT



SoloCem[®]


One step reliable cementation

 **COLTENE**



SoloCem[®] Secure cementing does not depend on the number of working steps. Self-adhesive SoloCem achieves reliable values – with no additional bonding. This is the result of monomers contained in the composite-like formulation. The convenient automix syringe and ready-to-use mixing tips offer simple and time-saving application.

- easy to use and time saving
- high bonding strengths without additional adhesive
- low shrinkage
- antibacterial zinc oxide
- high radiopacity



Easy and fast application

SoloCem saves you time without having to forego reliable bonding. MDP and 4-MET(A) monomers ensure good bonding values on a range of different materials without requiring a separate adhesive. This simplified form of application reduces the risk of potential error sources which could affect the bond and thus the quality of the entire restoration.

- self-adhesive properties
- fluorescent
- automix syringe and ready-to-use mixing tips
- intraoral processing time of approx. 60 seconds
- easy removal of excess material (after light curing for 3 seconds)

Indications


The easy handling of SoloCem offers advantages in a number of indications. You can count on the self-adhesive properties of SoloCem for permanent cementation of:

- crowns (ceramic, metal, composite)
- bridges (ceramic, metal, composite)
- inlays (ceramic, metal, composite)
- onlays (ceramic, metal, composite)
- all types of endodontic posts
- implant abutments (zirconium oxide and titanium)

Reliable values

SoloCem offers excellent adhesion and reliable, long-lasting bonding to dentin, enamel and other materials.


Shear bond strength according to the Ultradent*-method (dual cured)



Source: internal data

Next to good adhesion values, low shrinkage also determines the quality of a bond, which in turn has a positive effect on the durability of restorations.

Shrinkage



Source: internal data

Technical data

- Flexural strength
115 MPa
- Compressive strength
190 MPa
- Radiopacity
4 mm Al / mm



Composition

- Methacrylates
- Zinc oxide
- Dental glass


Storage



Source: internal data




Shear bond strength according to the Ultradent*-method (chemically cured)



Source: internal data


The REM image below demonstrates the excellent bonding between endodontic posts, SoloCem and dentin.



Source: internal data

Clinical times

working time

23°C  ≤ 120 s

37°C  ≤ 60 s

curing time (not including working time)

37°C  > 180 s

* Not a registered trademark of Coltène/Whaledent

Order information

6001 3986

1 x 5ml SoloCem Dentin
1 x 5ml SoloCem Translucent
10 x Mixing Tip Brown Short Super Fine
10 x Mixing Tip Brown Short Fine

6001 4062

1 x 5ml SoloCem Dentin
5 x Mixing Tip Brown Short Super Fine
5 x Mixing Tip Brown Short Fine

6001 4061

1 x 5ml SoloCem White Opaque
5 x Mixing Tip Brown Short Super Fine
5 x Mixing Tip Brown Short Fine

6001 9840

1 x 5ml SoloCem Translucent
5 x Mixing Tip Brown Short Super Fine
5 x Mixing Tip Brown Short Fine

6747

40 x **Mixing Tip Short Super Fine**

Mixing Tip, ø 1 mm

6759

40 x **Mixing Tip Short Fine**

Mixing Tip, ø 1.8 mm



Coltène/Whaledent Inc.
235 Ascot Parkway
Cuyahoga Falls, OH 44223 / USA
Tel. USA & Canada +1 800 221 3046
+1 330 916 8800
Fax +1 330 645 8704
info.us@coltene.com

Coltène/Whaledent AG 
Feldwiesenstrasse 20
9450 Altstätten / Switzerland
Tel. +41 (0)71 757 53 00
Fax +41 (0)71 757 53 01
info.ch@coltene.com

Coltène/Whaledent GmbH + Co. KG
Raiffeisenstrasse 30
89129 Langenau / Germany
Tel. +49 (0)7345 805 0
Fax +49 (0)7345 805 201
info.de@coltene.com

 **COLTENE**